INDEX TO AUTHORS

A

ALANIS, J. See MARTINEZ-PALOMO, BENITEZ, and ALANIS, 1

ANTIPA, GREGORY A. See SUTHERLAND, ANTIPA, and EHRET, 240

ARONSON, JOHN F. Nuclear membrane fusion in fertilized *Lytechinus variegatus* eggs, 126

B

BAINTON, DOROTHY FORD. Sequential degranulation of the two types of polymorphonuclear leukocyte granules during phagocytosis of microorganisms, 249

BEEVERS, H. See HUANG and BEEVERS, 379

BENITEZ, D. See MARTINEZ-PALOMO, BENITEZ, and ALANIS, 1

BENNETT, ALLEN, and BOGORAD, LAWRENCE. Complementary chromatic adaptation in a filamentous blue-green alga, 419

BLANCHETTE-MACKIE, E. JOAN, and SCOW, ROBERT O. Effects of lipoprotein lipase on the structure of chylomicrons, 689

BOGORAD, LAWRENCE. See BENNETT and BOGORAD, 419

BRAILOVSKY, C. See NIGAM, LALLIER, and BRAILOVSKY, 307

BRINKLEY, B. R., and RAO, POTU N. Nitrous oxide: effects on the mitotic apparatus and chromosome movement in HeLa cells, 96

BURGER, MAX M. See NOONAN, LEVINE, and BURGER, 491

C

CARTER, B. L. A., and HALVORSON, H. O. Periodic changes in rate of amino acid uptake during yeast cell cycle, 401

CAVOTO, FRANCIS V., and FLAXMAN, B. ALLEN. Low-resistance pathways between mitotic and interphase epidermal cells in vitro, 223

—. See FLAXMAN and CAVOTO, 219

CHAI, LEE S. See OBARA, YOSHIDA, CHAI, WEINFELD, and SANDBERG, 608

CHAPMAN, M. JOHN, MILLER, LEONARD R., and ONTKO, JOSEPH A. Localization of the enzymes of ketogenesis in rat liver motochondria, 284

CHASE, DAVID G. See PIKÓ and CHASE, 357

CLAUDE, PHILIPPA, and GOODENOUGH, DANIEL A. Fracture faces of *zonulae occludents* from "tight" and "leaky" epithelia, 390

COLFLESH, DAVID E. See DEWEY, LEVINE, and COLFLESH, 574

COMLY, LUCY T. Microfilaments in *Chaos carolinensis*: membrane association, distribution, and heavy meromyosin binding in the glycerinated cell, 230

CORLISS, JOHN O. See HOLT and CORLISS, 213

CORRADINO, R. A. Embryonic chick intestine in organ culture. A unique system for the study of the intestinal calcium absorptive mechanism, 64

D

DANIELS, MATHEW P. Fine structural changes in neurons and nerve fibers associated with colchicine inhibition of nerve fiber formation in vitro, 463

DAVID-FERREIRA, J. F., and DAVID-FERREIRA, K. L. Gap junction-ribosome association after autolysis, 226

DAVID-FERREIRA, K. L. See DAVID-FERREIRA and DAVID-FERREIRA, 226

DEBEY, PASCALE. See KREIBICH, DEBEY, and SABATINI, 436

DE BIANCHI, A. G., TERRA, W. R., and LARA, F. J. S. Formation of salivary secretion in *Rhynchosciara americana*. I. Kinetics of labeled amino acid incorporation, 470

DEHN, PAULA F., and WALLACE, ROBIN A. Sequestered and injected vitellogenin. Alternative routes of protein processing in *Xenopus* oocytes, 721

DEWEY, MAYNARD M., LEVINE, RHEA J. C., and COLFLESH, DAVID E. Structure of *Limulus* striated muscle. The contractile apparatus at various sarcomere lengths, 574

E

ECKHARDT, RONALD A. See JOHMANN, ECKHARDT, and GOROVSKY, 119

EDELMAN, G. M. See MILLETTE, SPEAR, GALL, and EDELMAN, 662

EHRET, CHARLES F. See SUTHERLAND, ANTIPA, and EHRET, 240

F

FLAXMAN, B. ALLEN, and CAVOTO, FRANCIS V. Low-resistance junctions in epithelial outgrowths from normal and cancerous epidermis in vitro, 219

—. See CAVOTO and FLAXMAN, 223

FRANZINI-ARMSTRONG, CLARA. The structure of a simple Z line, 630

G

GALL, W. E. See MILLETTE, SPEAR, GALL, and EDELMAN, 662

GIBBONS, I. R. See SUMMERS and GIBBONS, 618
GIL, JOAN, and REISS, OSCAR K. Isolation and characterization of lamellar bodies and tubular myelin from rat lung homogenates, 152
GITHENS, S. III, and KARNOVSKY, M. L. Biochemical changes during growth and encystment of the cellular slime mold *Polysphondylium pallidum*, 522
— and —. Phagocytosis by the cellular slime mold *Polysphondylium pallidum* during growth and development, 536
GLUECKSOHN-WAELSCH, SALOME. See TRIGG and GLUECKSOHN-WAELSCH, 549
GOODENOUGH, DANIEL A. See CLAUDE and GOODENOUGH, 390
GOROVSKY, MARTIN A. See JOHMANN, ECKHARDT, and GOROVSKY, 119
GRAY, ROBERT H., PETERSON, JOAN B., and RIS, HANS. The organization of yeast nucleohistone fibers, 244
GRINNELL, FREDERICK. Concanavalin A increases the strength of baby hamster kidney cell attachment to substratum, 602
GROSSFELD, H. See SCHMITT, GROSSFELD, and LITTAUER, 643
GROVE, WILLIAM E., JOHNSON, TERRY C., KELLY, PAUL, and LUTTGES, MARVIN. Qualitative and quantitative morphological changes in subcellular fractions from mouse cerebral cortex during postnatal development, 676

H

HALVORSON, H. O. See CARTER and HALVORSON, 401
HAND, ROGER, and TAMM, IGOR. DNA replication. Direction and rate of chain growth in mammalian cells, 410
HARRIS, W. F. The geometry of triplets in ciliary basal bodies from primate oviducts, 237
HIMMELHOCH, STANLEY. See ZUCKERMAN, KISIEL, and HIMMELHOCH, 476
HOFFSTEIN, SYLVIA. See ZURIER, HOFFSTEIN, and WEISSMANN, 27
HOLT, PORTIA A., and CORLISS, JOHN O. Pattern variability in microtubular arrays associated with the tentacles of *Actinobolina* (Ciliatea:Gymnostomatida), 213
HUANG, A. H. C., and BEEVERS, H. Localization of enzymes within microbodies, 379

J

JOHMANN, CAROL, ECKHARDT, RONALD A., and GOROVSKY, MARTIN A. The histones associated with condensed and extended chromatin of mouse liver, 119
JOHNSON, TERRY C. See GROVE, JOHNSON, KELLY, and LUTTGES, 676
JUTISZ, M. See TOUGARD, KERDELHUE, TIXIER-VIDAL, and JUTISZ, 503

K

KADOTA, KEN, and KADOTA, TOMOKO. Isolation of coated vesicles, plain synaptic vesicles, and flocculent material from a crude synaptosome fraction of guinea pig whole brain, 135
KADOTA, TOMOKO. See KADOTA and KADOTA, 135
KAPP, LEON N. See KLEVECZ and KAPP, 564
KARNOVSKY, M. L. See GITHENS and KARNOVSKY, 522, 536
KELLER, JOHN M. See NAMEROFF, TROTTER, KELLER, and MUNAR, 107
KELLY, PAUL. See GROVE, JOHNSON, KELLY, and LUTTGES, 676
KERDELHUE, B. See TOUGARD, KERDELHUE, TIXIER-VIDAL, and JUTISZ, 503
KEYHANI, EZZATOLLAH. Ribosomal granules associated with outer mitochondrial membrane in aerobic yeast cells, 480
KISIEL, MARIAN. See ZUCKERMAN, KISIEL, and HIMMELHOCH, 476
KLEVECZ, ROBERT R., and KAPP, LEON N. Intermittent DNA synthesis and periodic expression of enzyme activity in the cell cycle of WI-38, 564
KLIETMANN, WOLFGANG, SATO, NOBUHIRO, and NASS, MARGIT M. K. Establishment and characterization of ethidium bromide resistance in simian virus 40-transformed hamster cells. Effects on mitochondria in vivo, 11
KREIBICH, GERT, DEBEY, PASCALE, and SABATINI, DAVID D. Selective release of content from microsomal vesicles without membrane disassembly. I. Permeability changes induced by low detergent concentrations, 436

L

LAKE, ROBERTS S. Further characterization of the F1-histone phosphokinase of metaphase-arrested animal cells, 317
LALLIER, R. See NIGAM, LALLIER, and BRAILOVSKY, 307
LARA, F. J. S. See DE BIANCHI, TERRA, and LARA, 470
LAVAIL, MATHEW M. Kinetics of rod outer segment renewal in the developing mouse retina, 650
LEVINE, ARNOLD J. See NOONAN, LEVINE, and BURGER, 491
LEVINE, RHEA J. C. See DEWEY, LEVINE, and COLFLESH, 574
LEY, KENNETH D. and MURPHY, MARILYN M. Synchronization of mitochondrial DNA synthesis in Chinese hamster cells (line CHO) deprived of isoleucine, 340
LITTAUER, U. Z. See SCHMITT, GROSSFELD, and LITTAUER, 643
LOEB, LAWRENCE A. See WILLIAMS and LOEB, 594
LUTTGES, MARVIN. See GROVE, JOHNSON, KELLY, and LUTTGES, 676

M

MADRID, A. RICARDO. See SPENCER, PETERSON, MADRID, and RAINE, 79
MARTINEZ-PALOMO, A., BENITEZ, D., and ALANIS, J. Selective deposition of lanthanum in mammalian cardiac cell membranes. Ultrastructural and electrophysiological evidence, 1
MASSOVER, WILLIAM H. Complex surface invaginations in frog oocytes, 485

MEZA, ISAURA. See WILSON and MEZA, 709
MILLER, LEONARD R. See CHAPMAN, MILLER, and ONTKO, 284
MILLETTE, C. F., SPEAR, P. G., GALL, W. E., and EDELMAN, G. M. Chemical dissection of mammalian spermatozoa, 662
MUNAR, ERLYNDA. See NAMEROFF, TROTTER, KELLER, and MUNAR, 107
MURPHY, MARILYN M. See LEY and MURPHY, 340

N

NAMEROFF, MARK, TROTTER, JOHN A., KELLER, JOHN M., and MUNAR, ERLYNDA. Inhibition of cellular differentiation by phospholipase C. I. Effects of the enzyme on myogenesis and chondrogenesis in vitro, 107
NASS, MARGIT M. K. See KLIETMANN, SATO, and NASS, 11
NIGAM, VIJAI N., LALLIER, R., and BRAILOVSKY, C. Ganglioside patterns and phenotypic characteristics in a normal variant and a transformed back variant of a simian virus 40-induced hamster tumor cell line, 307
NOONAN, KENNETH D., LEVINE, ARNOLD J., and BURGER, MAX M. Cell cycle-dependent changes in the surface membrane as detected with [^{3}H]concanavalin A, 491

O

OBARA, YOSHITAKA, YOSHIDA, HIROSHI, CHAI, LEE S., WEINFELD, HERBERT, and SANDBERG, AVERY A. Contrast between the environmental pH dependencies of prophasing and nuclear membrane formation in interphase-metaphase cells, 608
ONTKO, JOSEPH A. See CHAPMAN, MILLER, and ONTKO, 284

P

PERDUE, J. F. The distribution, ultrastructure, and chemistry of microfilaments in cultured chick embryo fibroblasts, 265
PETERSON, EDITH R. See SPENCER, PETERSON, MADRID, and RAINE, 79
PETERSON, JOAN B. See GRAY, PETERSON, and RIS, 244
PHILLIPS, DAVID M., and PHILLIPS, STEPHANIE GORDON. Repopulation of postmitotic nucleoli by preformed RNA. II. Ultrastructure, 54
PHILLIPS, STEPHANIE GORDON. See PHILLIPS and PHILLIPS, 54
PIKÓ, LAJOS, and CHASE, DAVID G. Role of the mitochondrial genome during early development in mice. Effects of ethidium bromide and chloramphenicol, 357
PODOLSKY, DANIEL K., and WEISER, MILTON M. Specific selection of mitotically active intestinal cells by concanavalin A-derivatized fibers, 497

Q

QUINTON, P. M., WRIGHT, ERNEST M., and TORMEY, JOHN MCD. Localization of sodium pumps in the choroid plexus epithelium, 724

R

RAINE, CEDRIC S. See SPENCER, PETERSON, MADRID, and RAINE, 79
RAO, POTU N. See BRINKLEY and RAO, 96
RAWLINS, FRANK A. A time-sequence autoradiographic study of the in vivo incorporation of [1,2-^{3}H]cholesterol into peripheral nerve myelin, 42
REISS, OSCAR K. See GIL and REISS, 152
RIS, HANS. See GRAY, PETERSON, and RIS, 244
RODEWALD, RICHARD. Intestinal transport of antibodies in the newborn rat, 189
ROSENTHAL, MIRIAM D., and WARSHAW, JOSEPH B. Interaction of fatty acid and glucose oxidation by cultured heart cells, 332

S

SABATINI, DAVID D. See KREIBICH, DEBEY, and SABATINI, 436
SANDBERG, AVERY A. See OBARA, YOSHIDA, CHAI, WEINFELD, and SANDBERG, 608
SATO, NOBUHIRO. See KLIETMANN, SATO, and NASS, 11
SCHMITT, H., GROSSFELD, H., and LITTAUER, U. Z. Mitochondrial biogenesis during differentiation of *Artemia salina* cysts, 643
SCOW, ROBERT O. See BLANCHETTE-MACKIE and SCOW, 689
SPEAR, P. G. See MILLETTE, SPEAR, GALL, and EDELMAN, 662
SPENCER, PETER S., PETERSON, EDITH R., MADRID, A. RICARDO, and RAINE, CEDRIC S. Effects of thallium salts on neuronal mitochondria in organotypic cord-ganglia-muscle combination cultures, 79
STOSSEL, THOMAS P. Quantitative studies of phagocytosis. Kinetic effects of cations and heat-labile opsonin, 346
SUMMERS, KEITH E., and GIBBONS, I. R. Effects of trypsin digestion on flagellar structures and their relationship to motility, 618
SUTHERLAND, ALEXANDER, ANTIPA, GREGORY A., and EHRET, CHARLES F. Ultracytochemical observations of glycogen synthesis and storage during infradian growth of *Tetrahymena pyriformis*, 240

T

TAMM, IGOR. See HAND and TAMM, 410
TELFER, WILLIAM H. See WOODRUFF and TELFER, 172
TERRA, W. R. See DE BIANCHI, TERRA, and LARA, 470
TIXIER-VIDAL, A. See TOUGARD, KERDELHUE, TIXIER-VIDAL, and JUTISZ, 503
TORMEY, JOHN MCD. See QUINTON, WRIGHT, and TORMEY, 724
TOUGARD, C., KERDELHUE, B., TIXIER-VIDAL, A., and JUTISZ, M. Light and electron microscope localization of binding sites of antibodies against ovine luteinizing hormone and its two subunits in rat adenohypophysis using peroxidase-labeled antibody technique, 503
TRIGG, MONICA J., and GLUECKSOHN-WAELSCH,

SALOME. Ultrastructural basis of biochemical effects in a series of lethal alleles in the mouse. Neonatal and developmental studies, 549
TROTTER, JOHN A. See NAMEROFF, TROTTER, KELLER, and MUNAR, 107

W

WALLACE, ROBIN A. See DEHN and WALLACE, 721
WARSHAW, JOSEPH B. See ROSENTHAL and WARSHAW, 332
WEINFELD, HERBERT. See OBARA, YOSHIDA, CHAI, WEINFELD, and SANDBERG, 608
WEISER, MILTON M. See PODOLSKY and WEISER, 497
WEISSMANN, GERALD. See ZURIER, HOFFSTEIN, and WEISSMANN, 27
WILLIAMS, RICHARD O., and LOEB, LAWRENCE A. Zinc requirement for DNA replication in stimulated human lymphocytes, 594
WILSON, LESLIE, and MEZA, ISAURA. The mechanism of action of colchicine. Colchicine binding properties of sea urchin sperm tail outer doublet tubulin, 709
WOODRUFF, RICHARD I., and TELFER, WILLIAM H. Polarized intercellular bridges in ovarian follicles of the cecropia moth, 172
WRIGHT, ERNEST M. See QUINTON, WRIGHT, and TORMEY, 724

Y

YOSHIDA, HIROSHI. See OBARA, YOSHIDA, CHAI, WEINFELD, and SANDBERG, 608

Z

ZUCKERMAN, BERT M., KISIEL, MARIAN, and HIMMELHOCH, STANLEY. Unusual mitochondrial cristae in the vinegar eelworm, 476
ZURIER, ROBERT B., HOFFSTEIN, SYLVIA, and WEISSMANN, GERALD. Mechanisms of lysosomal enzyme release from human leukocytes. I. Effect of cyclic nucleotides and colchicine, 27

INDEX TO SUBJECTS

A

Alga *Fremyella diphosiphon*, blue-green, complementary chromatic adaptation, biochemical and immunological study, 419

Alleles, lethal, newborn and fetal mouse, ultrastructural basis of biochemical effects in liver and kidney cells, light and EM study, 549

Amino acid incorporation into salivary secretion in *Rhynchosciara americana*, biochemical study, 470

— uptake, periodic changes during yeast cell cycle, biochemical study, 401

Animal tissues, mouse kidney, stomach, jejunum, rabbit gall bladder, *Necturus* kidney and gall bladder, frog and toad urinary bladder, fracture faces of *zonulae occludentes* from tight and leaky epithelia, EM study, 390

Antibodies against ovine luteinizing hormone and two subunits, binding sites in rat adenohypophysis, histochemical and immunological EM study, 503

—, antiperoxidase, and ferritin-conjugated immunoglobulins, intestinal transport of, in rat newborn, immunological and EM study, 189

Autolysis, rat liver, gap junction-ribosome association after, light and EM study, 226

Axonemes, sea urchin sperm flagella, effects of trypsin, relationship to motility, light and EM study, 618

B

Basal bodies, ciliary, primate oviduct, triplets in, geometric study, 237

Brain, cerebral cortex, mouse, morphological changes in subcellular fractions during postnatal development, biochemical and EM study, 676

—, guinea pig, isolation of coated vesicles, plain synaptic vesicles, and flocculent material from synaptosome fraction, biochemical and EM study, 135

Bridges, polarized intercellular, in cecropia moth ovarian follicles, electrical and fluorescence and EM study, 172

C

Calcium absorption, chick embryo intestine in organ culture, biochemical and light microscope study, 64

Cations, Ca^{++}, Mg^{++}, Mn^{++}, Co^{++}, kinetic effects on phagocytosis by granulocytes and macrophages, biochemical study, 346

Cell cycle, repopulation of postmitotic nucleoli by preformed RNA in L929 cells, EM study, 54

Cell cycle, WI-38 cells, intermittent DNA synthesis and periodic enzyme activity, biochemical study, 564

—, yeast, periodic changes in amino acid uptake, biochemical study, 401

Cells, absorptive, epithelial, of small intestine, transport of antibodies, in rat newborn, immunological and EM study, 189

—, cardiac, mammalian, deposition of lanthanum in membranes, electrophysiological and EM study, 1

—, chick dorsal root ganglia, fine structural changes in neurons and nerve fibers associated with colchicine inhibition of nerve fiber formation, EM study, 463

—, chick embryo fibroblasts, microfilaments, histochemical and immunological EM study, 265

—, chick embryo heart, interaction of fatty acid and glucose oxidation, biochemical study, 332

—, Chinese hamster CHO line, synchronization of mitochondrial DNA synthesis by isoleucine deprivation, biochemical study, 340

—, Chinese hamster DON line, interphase-metaphase, effect of pH on prophasing and nuclear membrane formation, cytological and EM study, 608

—, Chinese hamster V79 line, metaphase and interphase, F1-histone phosphokinases, biochemical and autoradiographic study, 317

—, dorsal root ganglia, spinal cord, peripheral nerve and muscle organotypic complex, effects of thallium salts on neuronal mitochondria, light and EM study, 79

—, epidermal, human, mitotic and interphase, low resistance junctions, electrical and light microscope study, 223

—, epidermal, human normal and cancerous, low resistance junctions, comparison of electrotonic coupling, physical and light microscope study, 219

—, epithelial, rat intestine, mitotically active, specific binding to concanavalin A—nylon fibers, biochemical study, 497

—, hamster F line simian virus 40 transformed, ethidium bromide resistance, in vivo effects on mitochondria, biochemical and EM study, 11

—, hamster kidney BHK, normal and transformed, effect of concanavalin A on strength of attachment, cytological study, 602

—, hamster tumor line Cl_2TSV_5-S, simian virus 40-induced, normal and transformed back variants, ganglioside patterns and phenotypic characteristics, biochemical and immunological study, 307

Cells, HeLa, mitotic apparatus and chromosome movement, effect of nitrous oxide, light and EM study, 96
—, L929, repopulation of postmitotic nucleoli by preformed RNA, EM study, 54
—, mouse embryo fibroblast 3T3 line, cell cycle-dependent changes in surface membrane, concanavalin A binding, biochemical study, 491
—, mouse fibroblasts L929, direction and rate of DNA chain growth, biochemical and autoradiographic study, 410
—, myogenic and vertebral chondrocytes, chick embryo, in vitro inhibition of cellular differentiation by phospholipase C, autoradiographic and biochemical and EM study, 107
—, WI-38, intermittent DNA synthesis and periodic enzyme activity in cell cycle, biochemical study, 564
Chemical dissection of mammalian spermatozoa, biochemical and light and EM study, 662
Chick, embryo, intestine, calcium absorption in organ culture, biochemical and light microscopic study, 64
Chloramphenicol and ethidium bromide, effects on mitochondrial genome during early development in mouse embryo, biochemical and EM study, 357
Cholesterol, in vivo incorporation into mouse peripheral nerve myelin, time sequence autoradiographic EM study, 42
Chondrogenesis and myogenesis, in vitro inhibition by phospholipase C, autoradiographic and biochemical and EM study, 107
Chromatic adaptation, complementary, filamentous blue-green alga, biochemical and immunological study, 419
Chromatin, extended and condensed, associated with histones of mouse liver nuclei, biochemical study, 119
— nucleohistone fibers, yeast, EM study, 244
Chromosome movement and mitotic apparatus, in HeLa cells, effects of nitrous oxide, light and EM study, 96
Chylomicron, rat lymph, effects of lipoprotein lipase on structure, biochemical and EM study, 689
Colchicine and cyclic nucleotides, effect on lysosomal enzyme release in human leukocytes, biochemical and cytological study, 27
— binding, sea urchin sperm tail outer doublet tubulin, biochemical and EM study, 709
— inhibition of chick nerve fiber formation, associated fine structural changes, EM study, 463
Concanavalin A binding, surface membrane of 3T3 cells, cell cycle-dependent changes, biochemical study, 491
—, effect on strength of attachment of normal and transformed BHK cells, cytological study, 602
— -nylon fibers, specific binding to mitotically active rat intestinal epithelial cells, biochemical study, 497
Contractile apparatus, *Limulus* striated muscle, various sarcomere lengths, light and EM study, 574
Cristae, mitochondria of vinegar eelworm, EM study, 476
Crustacean *Artemia salina*, cysts, biogenesis of mitochondria, biochemical and EM study, 643
Cysts, crustacean *Artemia salina*, biogenesis of mitochondria, biochemical and EM study, 643

D

Deoxyribonucleic acid, cellular levels during growth and encystment, slime mold *Polysphondylium pallidum*, biochemical and cytological study, 522
—, intermittent synthesis, and periodic enzyme activity in cell cycle of WI-38 cells, biochemical study, 564
—, human lymphocytes, phytohemagglutinin-stimulated, zinc requirement, biochemical study, 594
—, mammalian cells, direction and rate of chain growth, biochemical and autoradiographic study, 410
— synthesis, synchronization in Chinese hamster ovary cell mitochondria by isoleucine deprivation, biochemical study, 340
Desoxycholate effect on permeability, polypeptide release from rat liver microsomal vesicles without membrane disassembly, biochemical and EM study, 436
Development, postnatal, morphological changes in subcellular fractions of mouse cerebral cortex, biochemical and EM study, 676
Differentiation, inhibition of myogenesis and chondrogenesis by phospholipase C, autoradiographic and biochemical and EM study, 107

E

Eggs, sea urchin *Lytechinus variegatus*, fertilized, nuclear membrane fusion in, Nomarski differential interference and polarized light microscope study, 126
Electrotonic coupling, comparison in human normal and cancerous epidermal cells in vitro, low resistance junctions, physical and light microscope study, 219
—, mitotic and interphase epidermal cells in vitro, low resistance junctions, electrical and light microscope study, 223
Embryo, chick, intestine, calcium absorption in organ culture, biochemical and light microscope study, 64
—, mouse, role of mitochondrial genome in early development, effects of ethidium bromide and chloramphenicol, biochemical and EM study, 357
Encystment and growth, slime mold *Polysphondylium pallidum*, biochemical and cytological study, 522
—, slime mold *Polysphondylium pallidum*, phagocytosis, biochemical and cytological study, 536
Enzyme, lactate dehydrogenase, periodic activity, and intermittent DNA synthesis, in cell cycle of WI-38 cells, biochemical study, 564
—, lipoprotein lipase, effects on chylomicron structure in rat lymph, biochemical and EM study, 689

Enzyme release, from human leukocyte lysosomes, effect of cyclic nucleotides and colchicine, biochemical and cytological study, 27
Enzymes, ketogenesis, localization in rat liver mitochondria, biochemical and EM study, 284
—, localization in microbodies from rat liver and plant tissues, biochemical and EM study, 379
—, lysosomal and peroxisomal, during growth and encystment, slime mold *Polysphondylium pallidum*, biochemical and cytological study, 522
—, phosphokinases, F1-histone specific, of animal cells in metaphase and interphase, biochemical and autoradiographic study, 317
Epidermis, human normal and basal cell carcinoma, in vitro low resistance junctions, comparison of electrotonic coupling, physical and light microscopic study, 219
—, mitotic and interphase cells, in vitro low resistance junctions, electrical and light microscope study, 223
Epithelia, tight and leaky, fracture faces of *zonulae occludentes*, EM study, 390
Epithelium, frog choroid plexus, localization of sodium pump, ouabain binding sites, biochemical and autoradiographic study, 724
Ethidium bromide and chloramphenicol, effects on mitochondrial genome during early development in mouse embryo, biochemical and EM study, 357
— resistance in simian virus 40-transformed hamster cells, in vivo effects on mitochondria, biochemical and EM study, 11

F

Fatty acid and glucose oxidation, interaction in cultured heart cells, biochemical study, 332
Fibers, nerve, and neurons, chick, fine structural changes associated with colchicine inhibition of formation, EM study, 463
—, nucleohistone chromatin, yeast, EM study, 244
Filaments, blue-green alga, complementary chromatic adaptation, biochemical and immunological study, 419
Fish *Lefistes reticulatus*, tail muscle, structure of simple Z line, EM study, 630
Flagella, sea urchin sperm, effects of trypsin on axonemes, relationship to motility, light and EM study, 618
Follicles, ovary, cecropia moth, polarized intercellular bridges, electrical and fluorescence and EM study, 172
Frog, choroid plexus epithelium, localization of sodium pump, ouabain binding sites biochemical and autoradiographic study, 724
— *Hyla cinerea* and *H. arenicolor*, oocytes, complex surface invaginations, high voltage EM study, 485
— *Xenopus*, oocytes, sequestered and injected vitellogenin, alternate routes of protein processing, biochemical study, 721

G

Ganglioside patterns and phenotypic characteristics in normal and transformed back variants of simian virus 40-induced hamster tumor cell line, biochemical and immunological study, 307
Glucose and fatty acid oxidation, interaction in cultured heart cells, biochemical study, 332
Glycogen synthesis and storage, during infradian growth of *Tetrahymena pyriformis*, EM study, 240
Glyoxysomes, rat liver and plant tissues, localization of enzymes, biochemical and EM study, 379
Granules, azurophils and specifics, sequential degranulation of during phagocytosis of microorganisms by polymorphonuclear leukocytes, cytochemical and EM study, 249
—, ribosomal, yeast mitochondrial outer membrane, EM study, 480
Granulocytes, human, rabbit macrophages, kinetic effects of cations and heat-labile opsonin on phagocytosis, biochemical study, 346
Growth and encystment, slime mold *Polysphondylium pallidum*, biochemical and cytological study, 522
—, slime mold *Polysphondylium pallidum*, phagocytosis, biochemical and cytological study, 536
Growth, infradian, *Tetrahymena pyriformis*, glycogen synthesis and storage, cytological EM study, 240
Guinea pig, brain, isolation of coated vesicles, plain synaptic vesicles, and flocculent material from synaptosome fraction, biochemical and EM study, 135

H

Heart, mammalian, deposition of lanthanum in cardiac cell membranes, electrophysiological and EM study, 1
Histone, F1, lysine-rich phosphokinases of animal cells in metaphase and interphase, biochemical and autoradiographic study, 317
Histones, mouse liver nuclei, associated with condensed and extended chromatin, biochemical study, 119
Hormone, luteinizing, and subunits α and β, ovine, binding sites of antibodies against, in rat adenohypophysis, histochemical and immunological EM study, 503
Horseshoe crab *Limulus polyphemus*, striated muscle, contractile apparatus at various sarcomere lengths, light and EM study, 574
Human, granulocytes, rabbit macrophages, kinetic effects of cations and heat-labile opsonin on phagocytosis, biochemical study, 346
—, leukocytes, effect of cyclic nucleotides and colchicine on lysosomal enzyme release, biochemical and cytological study, 27
—, lymphocytes, phytohemagglutinin-stimulated, zinc requirement for DNA replication, biochemical study, 594

I

Insect, moth *Hyalophora cecropia*, ovary, polarized intercellular bridges in follicles, electrical and fluorescence and EM study, 172
— *Rhynchosciara americana*, amino acid incorporation into salivary secretion, biochemical study, 470

Intestine, chick embryo, calcium absorption in organ culture, biochemical and light microscope study, 64
—, rat, specific binding of mitotically active epithelial cells to concanavalin A-nylon fibers, biochemical study, 497
—, small, newborn rat, transport of antibodies, immunological and EM study, 189
Isoleucine deprivation, Chinese hamster ovary cells, synchronization of mitochondrial DNA synthesis, biochemical study, 340

J

Junction, gap, and ribosome association after autolysis of rat liver cells, light and EM study, 226
Junctions, low resistance, human normal and cancerous epidermis in vitro, comparison of electrotonic coupling, physical and light microscope study, 219
—, low resistance, mitotic and interphase epidermal cells, electrical and light microscope study, 223
—, tight, *zonulae occludentes* from tight and leaky epithelia, fracture faces, EM study, 390

K

Ketogenesis enzymes, localization in rat liver mitochondria, biochemical and EM study, 284
Kidney and liver, newborn and fetal mouse, ultrastructural basis of biochemical effects in lethal alleles, light and EM study, 549

L

Lamellar bodies and tubular myelin, isolation and characterization of from rat lung homogenates, biochemical and EM study, 152
Lanthanum deposition in mammalian cardiac cell membranes, electrophysiological and EM study, 1
Leukocytes, human, effect of cyclic nucleotides and colchicine on lysosomal enzyme release, biochemical and cytological study, 27
—, polymorphonuclear, sequential degranulation of two types of granules during phagocytosis of microorganisms, cytochemical and EM study, 249
Lipoprotein lipase, effects on chylomicron structure in rat lymph, biochemical and EM study, 689
Liver and kidney, newborn and fetal mouse, ultrastructural basis of biochemical effects in lethal alleles, light and EM study, 549
Liver, mouse, nuclear histones associated with condensed and extended chromatin, biochemical study, 119
—, rat, and castor bean, potato, and spinach, microbodies, localization of enzymes, biochemical and EM study, 379
—, rat, gap junction-ribosome association after autolysis, light and EM study, 226
—, rat, mitochondria, localization of enzymes of ketogenesis, biochemical and EM study, 284
—, rat, rough microsomes, polypeptide release from vesicles without membrane disassembly, effect of detergent on permeability, biochemical and EM study, 436
Lung, rat, isolation and characterization of lamellar bodies and tubular myelin, biochemical and EM study, 152
Luteinizing hormone, and subunits α and β, ovine, binding sites of antibodies against, in rat adenohypophysis, histochemical and immunological EM study, 503
Lymph, rat, effects of lipoprotein lipase on chylomicron structure, biochemical and EM study, 689
Lymphocytes, human, phytohemagglutinin-stimulated, zinc requirement for DNA replication, biochemical study, 594

M

Macrophages, rabbit, human granulocytes, kinetic effects of cations and heat-labile opsonin on phagocytosis, biochemical study, 346
Mammal, dog, cat, and rabbit, heart, deposition of lanthanum in cardiac cell membranes, electrophysiological and EM study, 1
—, mouse, rat, guinea pig, rabbit, and human, spermatozoa, chemical dissection, biochemical and light and EM study, 662
Membrane, amoeba *Chaos carolinensis*, association, distribution, and heavy meromyosin binding of microfilaments, EM study, 230
—, 3T3 cells, cell cycle-dependent changes detected by concanavalin A, biochemical study, 491
— formation, nuclear, and prophasing, interphase-metaphase cells, effects of pH, cytological and EM study, 608
— fusion, nuclear, fertilized sea urchin eggs, Nomarski differential interference and polarized light microscope study, 126
—, outer, yeast mitochondria, ribosomal granules associated with, EM study, 480
Membranes, cardiac cell, mammalian, deposition of lanthanum, electrophysiological and EM study, 1
Meromyosin, heavy, binding of microfilaments, in amoeba *Chaos carolinensis* membrane, EM study, 230
Microbodies, rat liver and plant tissues, localization of enzymes, biochemical and EM study, 379
Microfilaments, amoeba *Chaos carolinensis*, membrane association, distribution, and heavy meromyosin binding, EM study, 230
—, chick embryo fibroblasts, histochemical and immunological EM study, 265
Microsomes, rough, rat liver, polypeptide release from vesicles without membrane disassembly, effect of detergent on permeability, biochemical and EM study, 436
Microtubules, ciliate *Actinobolina* tentacles, pattern variability, EM study, 213
—, sea urchin sperm tail, colchicine binding of outer doublet tubulin, biochemical and EM study, 709
Mitochondria biogenesis, crustacean *Artemia salina* cysts, biochemical and EM study, 643
—, Chinese hamster ovary cells, synchronization of DNA synthesis by isoleucine deprivation, biochemical study, 340

Mitochondria, neuronal, in organotypic cord-ganglia-muscle combination cultures, effects of thallium salts, light and EM study, 79
—, rat liver, localization of enzymes of ketogenesis, biochemical and EM study, 284
—, simian virus 40-transformed hamster cells, in vivo effects of ethidium bromide resistance, biochemical and EM study, 11
—, vinegar eelworm, unusual cristae, EM study, 476
—, yeast *Rhodotorula rubra* ribosomal granules associated with outer membrane, EM study, 480
Mitochondrial genome, role in early development of mouse embryo, effects of ethidium bromide and chloramphenicol, biochemical and EM study, 357
Mitosis, 3T3 cell line, cell cycle-dependent changes in surface membrane, concanavalin A binding, biochemical study, 491
—, L929 cells, repopulation of nucleoli by preformed RNA after, EM study, 54
Mitotic apparatus, and chromosome movement, in HeLa cells, effects of nitrous oxide, light and EM study, 96
Mouse, cerebral cortex, morphological changes in subcellular fractions during postnatal development, biochemical and EM study, 676
—, embryo, role of mitochondrial genome in early development, effects of ethidium bromide and chloramphenicol, biochemical and EM study, 357
—, liver, nuclear histones associated with condensed and extended chromatin, biochemical study, 119
—, nerve, peripheral, in vivo incorporation of cholesterol into myelin, time sequence autoradiographic EM study, 42
—, newborn and fetal, liver and kidney cells, ultrastructural basis of biochemical effects in lethal alleles, light and EM study, 549
—, retina, kinetics of rod outer segment renewal, autoradiographic light microscope study, 650
Muscle, fish tail, structure of simple Z line, EM study, 630
—, striated, horseshoe crab, contractile apparatus at various sarcomere lengths, light and EM study, 574
Myelin, peripheral nerve, in vivo incorporation of cholesterol, in mouse, time sequence autoradiographic EM study, 42
—, tubular, and lamellar bodies, isolation and characterization of from rat lung homogenates, biochemical and EM study, 152
Myogenesis and chondrogenesis, in vitro inhibition by phospholipase C, autoradiographic and biochemical and EM study, 107

N

Nematode, vinegar eelworm *Turbatrix aceti*, mitochondria, unusual cristae, EM study, 476
Nerve, peripheral, in vivo incorporation of cholesterol into myelin, in mouse, time sequence autoradiographic EM study, 42
Neuronal mitochondria, in organotypic cord-ganglia-muscle combination cultures, effects of thallium salts, light and EM study, 79
Neurons and nerve fibers, chick, fine structural changes associated with colchicine inhibition of formation, EM study, 463
Nitrous oxide effects on mitotic apparatus and chromosome movement in HeLa cells, light and EM study, 96
Nuclear membrane formation and prophasing, interphase-metaphase cells, effect of pH, cytological and EM study, 608
Nucleohistone chromatin fibers, yeast, EM study, 244
Nucleoli, L929 cells, repopulation of by preformed RNA after mitosis, EM study, 54
Nucleotides, cyclic, and colchicine, effect on lysosomal enzyme release in human leukocytes, biochemical and cytological study, 27
Nucleus, membrane fusion, in fertilized sea urchin eggs, Nomarski differential interference and polarized light microscope study, 126
—, mouse liver, histones associated with condensed and extended chromatin, biochemical study, 119

O

Oocyte, frog, complex surface invaginations, high voltage EM study, 485
Oocytes, *Xenopus*, sequestered and injected vitellogenin, alternate routes of protein processing, biochemical study, 721
Opsonin, heat-labile, kinetic effects on phagocytosis by granulocytes and macrophages, biochemical study, 346
Organ culture, chick embryo intestine, calcium absorption, biochemical and light microscope study, 64
Ouabain binding sites, frog choroid plexus epithelium, sodium pumps, biochemical and autoradiographic study, 724
Ovary, Cecropia moth, polarized intercellular bridges in follicles, electrical and fluorescence and EM study, 172
Oviduct, primate, triplets in ciliary basal bodies, geometric study, 237

P

pH effect on prophasing and nuclear membrane formation in interphase-metaphase cells, cytological and EM study, 608
Phagocytosis, granulocytes and macrophages, kinetic effects of cations and heat-labile opsonin, biochemical study, 346
— of microorganisms by polymorphonuclear leukocytes, sequential degranulation of two types of granules during, cytochemical and EM study, 249
—, slime mold *Polysphondylium pallidum*, during growth and development, biochemical and cytological study, 536
Phenotype and ganglioside patterns, in normal and transformed back variants of simian virus 40-

induced hamster tumor cell line, biochemical and immunological study, 307
Phosphokinases, F1-histone specific, of animal cells in metaphase and interphase, biochemical and autoradiographic study, 317
Phospholipase C inhibition of myogenesis and chondrogenesis in vitro, autoradiographic and biochemical and EM study, 107
C-phycoerythin metabolism, filamentous blue-green alga, chromatic adaptation, biochemical and immunological study, 419
Pituitary, rat adenohypophysis, binding sites of antibodies against ovine luteinizing hormone and two subunits, histochemical and immunological EM study, 503
Plants, castor bean *Ricinus communis*, spinach *Spinacia oleracea*, and potato *Solanum tuberosum*, and rat liver, microbodies, localization of enzymes, biochemical and EM study, 379
Primate, oviduct, triplets in ciliary basal bodies, geometric study, 237
Prophasing and nuclear membrane formation, interphase-metaphase cells, effect of pH, cytological and EM study, 608
Prostaglandins, effect on lysosomal enzyme release in human leukocytes, biochemical and cytological study, 27
Protein, cellular levels during growth and encystment, slime mold *Polysphondylium pallidum*, biochemical and cytological study, 522
Protozoan *Actinobolina*, tentacles, pattern variability in microtubular arrays, EM study, 213
— *Chaos carolinensis*, microfilaments, membrane association, distribution, and heavy meromyosin binding, EM study, 230
— *Tetrahymena pyriformis*, glycogen synthesis and storage during infradian growth, cytological EM study, 240

R

Rabbit macrophages, human granulocytes, kinetic effects of cations and heat-labile opsonin on phagocytosis, biochemical study, 346
Radioactive label, [acetyl-^{3}H]colchicine, colchicine binding of sea urchin sperm tail outer doublet tubulin, biochemical and EM study, 709
—, [^{14}C]amino acids and [^{3}H]uridine, role of mitochondrial genome in early development of mouse embryo, effects of ethidium bromide and chloramphenicol, biochemical and EM study, 357
—, [^{14}C]amino acids, periodic changes in amino acid uptake during yeast cell cycle, biochemical study, 401
—, [^{14}C]glucose, effect of cyclic nucleotides and colchicine on lysosomal enzyme release from human leukocytes, biochemical and cytological study, 27
—, [^{14}C]leucine and [^{3}H]uridine triphosphate, biogenesis of mitochondria in *Artemia salina* cysts, biochemical and EM study, 643
—, [^{14}C]palmitate and [^{14}C]glucose, interaction of fatty acid and glucose oxidation by cultured heart cells, biochemical study, 332
—, [^{14}C]palmitic acid and [^{3}H]trioleoyl-glycerol, effects of lipoprotein lipase on chylomicron structure, in rat lymph, biochemical and EM study, 689
Radioactive label, [^{14}C]phenylalanine, complementary chromatic adaptation in filamentous blue-green alga, biochemical and immunological study, 419
—, [^{14}C]sucrose and [^{3}H]ouabain, localization of sodium pumps in frog choroid plexus epithelium, biochemical and autoradiographic study, 724
—, [^{14}C]UDP-*N*-acetyl-galactosamine, ganglioside patterns and phenotypic characteristics in normal and transformed back variants of Simian virus 40-induced hamster tumor cell line, biochemical and immunological study, 307
—, [1,2-^{3}H]cholesterol, in vivo incorporation of cholesterol into mouse peripheral nerve myelin, time sequence autoradiographic EM study, 42
—, [^{3}H]choline, [^{3}H]glucosamine, [^{3}H]orotic acid, [^{3}H]leucine, and [^{14}C]leucine, polypeptide release from rat liver microsomal vesicles without membrane disassembly, effect of detergent, biochemical and EM study, 436
—, [^{3}H]concanavalin A, cell cycle-dependent changes in surface membrane, concanavalin A binding, biochemical study, 491
—, [^{3}H]cytidine and [^{3}H]thymidine, direction and rate of DNA chain growth in mammalian cells, biochemical and autoradiographic study, 410
—, [^{3}H]leucine, amino acid incorporation into salivary secretion in *Rhynchosciara americana*, biochemical study, 470
—, [^{3}H]leucine and [^{3}H]phenylalanine, kinetics of rod outer segment renewal in developing mouse retina, autoradiographic light microscope study, 650
—, [^{3}H]leucine and [^{32}P]phosphate, sequestered and injected vitellogenin, alternate routes of protein processing in *Xenopus* oocytes, biochemical study, 721
— [^{3}H]leucine, [*methyl*-^{3}H]thymidine, and [^{3}H]-uridine, zinc requirement for DNA replication in stimulated human lymphocytes, biochemical study, 594
—, [^{3}H]leucine, [^{3}H]thymidine, and [^{45}Ca]calcium, absorption of chick embryo intestine in organ culture, biochemical and light microscope study, 64
—, [^{3}H]thymidine and [^{14}C]*N*-acetylglucosamine, specific binding of mitotically active rat intestinal epithelial cells by concanavalin A-nylon fibers, biochemical study, 497
—, [^{3}H]thymidine, intermittent DNA synthesis and periodic enzyme activity in cell cycle of WI-38 cells, biochemical study, 564
—, [^{125}I]C3 and [^{45}Ca]calcium chloride, kinetic effects of cations and heat-labile opsonin on phagocytosis by granulocytes and macrophages, biochemical study, 346
—, [*methyl*-^{14}C]choline, localization of enzymes in microbodies from rat liver and plant tissues, biochemical and EM study, 379
—, [*methyl*-^{14}C]thymidine and [*methyl*-^{3}H]thymidine, ethidium bromide resistance in simian virus 40-

transformed hamster cells, in vivo effects on mitochondria, biochemical and EM study, 11
Radioactive label, [*methyl*-^{3}H]thymidine, [^{14}C]lecithin and [^{35}S]-sodium sulfate, in vitro inhibition of myogenesis and chondrogenesis by phospholipase C, autoradiographic and biochemical and EM study, 107
—, [*methyl*-^{3}H]thymidine, synchronization of mitochondrial DNA synthesis in Chinese hamster ovary cells by isoleucine deprivation, biochemical study, 340
—, [^{32}P]phosphoric acid, F1-histone phosphokinases of animal cells in metaphase and interphase, biochemical and autoradiographic study, 317
Rat, intestine, specific binding of mitotically active epithelial cells to concanavalin A-nylon fibers, biochemical study, 497
—, liver, and castor bean, potato, and spinach, microbodies, localization of enzymes, biochemical and EM study, 379
—, liver, gap junction-ribosome association after autolysis, light and EM study, 226
—, liver, mitochondria, localization of enzymes of ketogenesis, biochemical and EM study, 284
—, liver, rough microsomes, polypeptide release from vesicles without membrane disassembly, effect of detergent on permeability, biochemical and EM study, 436
—, lung, isolation and characterization of lamellar bodies and tubular myelin, biochemical and EM study, 152
—, lymph, effects of lipoprotein lipase on chylomicron structure, biochemical and EM study, 689
—, newborn, intestinal transport of antibodies, immunological and EM study, 189
—, pituitary adenohypophysis, binding sites of antibodies against ovine luteinizing hormone and two subunits, histochemical and immunological EM study, 503
Retina, mouse, kinetics of rod outer segment renewal, autoradiographic light microscope study, 650
Ribonucleic acid, cellular levels during growth and encystment, slime mold *Polysphondylium pallidum*, biochemical and cytological study, 522
—, preformed, repopulation of postmitotic nucleoli, in L929 cells, EM study, 54
Ribosomal granules, yeast mitochondrial outer membrane, EM study, 480
Ribosome-gap junction association after autolysis of rat liver cells, light and EM study, 226
Rod outer segment renewal, in developing mouse retina, autoradiographic light microscope study, 650

S

Salivary secretion, *Rhychosciara americana*, amino acid incorporation, biochemical study, 470
Sarcomeres, various lengths, contractile apparatus, in *Limulus* striated muscle, light and EM study, 574
Sea urchin *Lytechinus variegatus*, eggs, fertilized, nuclear membrane fusion in, Nomarski differential interference and polarized light microscope study, 126
Sea urchin *Strongylocentrotus purpuratus*, sperm tail, colchicine binding of outer doublet tubulin, biochemical and EM study, 709
— *Tripneustes gratilla*, sperm, effects of trypsin on flagellar axonemes, relationship to motility, light and EM study, 618
Segment, outer, kinetics of renewal, in rod of developing mouse retina, autoradiographic light microscope study, 650
Slime mold *Polysphondylium pallidum*, biochemical changes during growth and encystment, biochemical and cytological study, 522
— *Polysphondylium pallidum*, phagocytosis during growth and development, biochemical and cytological study, 536
Sodium pumps, frog choroid plexus epithelium, ouabain binding sites, biochemical and autoradiographic study, 724
Sperm, sea urchin, colchicine binding of outer doublet tubulin, biochemical and EM study, 709
—, sea urchin, effects of trypsin on flagellar axonemes, relationship to motility, light and EM study, 618
Spermatozoa, mammalian, chemical dissection, biochemical and light and EM study, 662
Subcellular fractions, mouse cerebral cortex, morphological changes during postnatal development, biochemical and EM study, 676
Surface, frog oocyte, complex invaginations, high voltage EM study, 485
Synaptosome fraction, guinea pig brain, isolation of coated vesicles, plain synaptic vesicles and flocculent material, biochemical and EM study, 135

T

Tentacle, ciliate *Actinobolina*, pattern variability in microtubular arrays, EM study, 213
Thallium, acetate and sulfate, effects on neuronal mitochondria in organotypic cord-ganglia-muscle combination cultures, light and EM study, 79
Tissue culture, chick embryo fibroblasts, microfilaments, histochemical and immunological EM study, 265
—, chick embryo heart cells, interaction of fatty acid and glucose oxidation, biochemical study, 332
—, effect of concanavalin A on strength of attachment of normal and transformed baby hamster kidney cells, cytological study, 602
—, dorsal root ganglia, spinal cord, peripheral nerve and muscle organotypic complex, effects of thallium salts on neuronal mitochondria, light and EM study, 79
Triplets, ciliary basal bodies in primate oviducts, geometric study, 237
Trypsin, effects on flagellar axonemes of sea urchin sperm, relationship to motility, light and EM study, 618
Tubulin, sea urchin sperm tail outer doublet, colchicine binding, biochemical and EM study, 709

V

Vesicles, coated and plain synaptic, isolation from synaptosome fraction of guinea pig brain, biochemical and EM study, 135
—, microsomal, rat liver, polypeptide release without membrane disassembly, effect of detergent on permeability, biochemical and EM study, 436
Vitellogenin, sequestered and injected, in *Xenopus* oocytes, alternate routes of protein processing, biochemical study, 721

Y

Yeast *Rhodotorula rubra*, mitochondria, ribosomal granules associated with outer membrane, EM study, 480
Yeast *Saccharomyces cerevisiae*, chromatin nucleohistone fibers, EM study, 244
— *Saccharomyces cerevisiae* Y185, periodic changes in amino acid uptake during cell cycle, biochemical study, 401

Z

Z line, fish tail muscle, EM study, 630
Zinc requirement for DNA replication, phytohemagglutinin-stimulated human lymphocytes, biochemical study, 594
Zonulae occludentes from tight and leaky epithelia, fracture faces, EM study, 390